
SMART CONTROL OF TRAFFIC LIGHT USING ARTIFICIAL INTELLIGENCE

**P.Deepa sree ,M.C.A Student , Amritha sai institute of science and technology, Kanchikacharla
(Mandal), A.P- 521180**

**M.Anuradha,Assistant professor , Amritha sai institute of science and technology,
Kanchikacharla (Mandal), A.P- 521180**

ABSTRACT:

Traffic congestion is becoming one of the critical issues with increasing population and automobiles in cities. Traffic jams not only cause extra delay and stress for the drivers, but also increase fuel consumption and air pollution. Although it seems to pervade everywhere, megacities are the ones most affected by it. And its ever-increasing nature makes it necessary to calculate the road traffic density in real-time for better signal control and effective traffic management. The traffic controller is one of the critical factors affecting traffic flow. Therefore, the need for optimizing traffic control to better accommodate this increasing demand arises. Our proposed system aims to utilize live images from the cameras at traffic junctions for traffic density calculation using image processing and AI. It also focuses on the algorithm for switching the traffic lights based on the vehicle density to reduce congestion, thereby providing faster transit to people and reducing pollution.

INTRODUCTION

With the increasing number of vehicles in urban areas, many road networks are facing problems with the capacity drop of roads and the corresponding Level of Service. Many traffic-related issues occur because of traffic control systems on intersections that use fixed signal timers. They repeat the same phase sequence and its duration with no changes. Increased demand for road capacity also increases the need for new solutions for traffic control that can be found in the field of Intelligent Transport Systems. Let us take the case study of Mumbai and Bangalore. Traffic flow in Bangalore is the worst in the world while Mumbai is close behind in fourth position, according to a report detailing the traffic situation in 416 cities across 57 countries. In Bangalore, a journey during rush-hour takes 71% longer. In Mumbai, it is 65% longer.

CLASSIFICATION

Classification is a technique where we categorize data into a given number of classes. The main goal of a classification problem is to identify the category/class to which a new data will fall under. Image Classification is the task of assigning an input image one label from a fixed set of categories. This is one of the core problems in Computer Vision that, despite its simplicity, has a large variety of practical applications. Many other seemingly distinct Computer Vision tasks (such as object detection, segmentation) can be reduced to image classification.

Classification Algorithms:

Object Recognition is a technology that lies under the broader domain of Computer Vision. This technology is capable of identifying objects that exist in images and videos and tracking them. Object Recognition also known as Object Detection, has various applications like face recognition, vehicle recognition, pedestrian counting, self-driving vehicles, security systems, and a lot more. The two significant objectives of object recognition involve: Identification of all objects that exist in an image Filtration of the object that seeks attention In the following tutorial, we will understand how to perform Object Recognition in the Python programming language using the ImageAI library. We will create a basic object recognition model using the ImageAI library in Python by the end of this tutorial.

Speech recognition:

While using Google, we get an option of "Search by voice," it comes under speech recognition, and it's a popular application of machine learning. Speech recognition is a process of converting voice instructions into text, and it is also known as "Speech to text", or "Computer speech recognition." At present, machine learning algorithms are widely used by various applications of speech recognition. Google assistant, Siri, Cortana, and Alexa are using speech recognition technology to follow the voice instructions.

Traffic Prediction:

If we want to visit a new place, we take help of Google Maps, which shows us the correct path with the shortest route and predicts the traffic conditions. It predicts the traffic

conditions such as whether traffic is cleared, slow-moving, or heavily congested with the help of two ways:

- 1.Real Time location of the vehicle form Google Map app and sensors
- 2.Average time has taken on past days at the same time.

Product Recommendations

Machine learning is widely used by various e-commerce and entertainment companies such as Amazon, Netflix, etc., for product recommendation to the user. Whenever we search for some product on Amazon, then we started getting an advertisement for the same product while internet surfing on the same browser and this is because of machine learning.

LITERATURE SURVEY

Smart Control of Traffic Light System using Image Processing

AUTHORS:

Khushi

ABSTRCT:

The congestion of the urban traffic is becoming one of critical issues with increasing population and automobiles in cities. Traffic jams not only cause extra delay and stress for the drivers, but also increase fuel consumption, add transportation cost, and increase carbon dioxide air pollution. The traffic controller is one of critical factors affecting the traffic flow. The conventional traffic patterns are nonlinear and complex and time dependent rather than traffic dependent. This paper proposes a traffic control system based on image processing using MATLAB code which changes the time of green, amber and red light with respect to the traffic density and traffic count. Two Arduino UNO is used, one for controlling green and amber lights and other for controlling red light. This is a continuous process.

"Improving Traffic Light Control by Means of Fuzzy Logic,"

AUTHORS:

A. Vogel, I. Oremović, R. Šimić and E. Ivanjko

ABSTRACT:

In urban areas, the traffic demand grows every year due to the constantly increasing number of vehicles. The consequence is a capacity drop of the roads followed by traffic problems like congestion, reduced travel time, increased fuel consumption, etc. This paper presents an adaptive traffic light controller based on fuzzy logic for improving the traffic flow on an isolated intersection. A set of fuzzy rules has been made that, using the collected information from road detectors (queue length, arrival flow, and exit flow), computes the amount of time for which the next phase should be shortened or extended. The proposed fuzzy control system is constituted of two parts: one for the primary driveway (with a higher volume of vehicles) and for the secondary driveway (with a lower volume of vehicles). The proposed controller is compared with a fixed signal program in three scenarios with different traffic demand proofing the effectiveness of the developed decision rules.

"Smart controlling for traffic light time,"

AUTHORS:

A. A. Zaid, Y. Suhweil and M. A. Yaman

Abstract:

Traffic jam and traffic accidents become serious problems especially in crowded cities, which wasting time and money. Traffic light is basic element in control traffic flow through specify waiting and going time, fixed traffic light time systems is bad control way, since number of cars is not consistency with each traffic light, thus lead to imbalance system. Intelligent transportation system including smart way to control traffic light time based on number of cars in each traffic light, this paper develops an automatic algorithm to control traffic light time based on artificial intelligent techniques and image for cars on traffic lights, this algorithm is validated by compare its results with manual results. Applying following proposed algorithm in transportation system will regulate traffic flow and reduce traveling and waiting time wasted in roads.

SYSTEM ANALYSIS

EXISTING SYSTEM

In the first method, VANETS are used to get information and location of every vehicle, which in turn is passed on to the nearest Intelligent Traffic light with the help of installed GPS. Further, these ITLs will update the statistics and sent it to nearby vehicles. In case of accidents, the information would be sent to drivers to choose an alternate route to avoid congestion. However, this technique is not feasible as its deployment is quite expensive. • In the second method, infrared sensor-based microcontrollers are used, which capture the unique ID of every car using transmitter and receiver. In case of an emergency situation, vehicle's radio frequency tags can be used to identify them and let other vehicles move. This method detects red light violations. However, this technique is not flexible due to the fact that infrared sensors need to be in sight

Limitations of Existing Methods:

In the third method, fuzzy logic technique is used in which two fuzzy logic controllers are used – one is to optimize the signal and the other controller is used to extend the green phase of a road in an intersection. The sensors used to collect input data are video cameras that are placed at incoming and outgoing lines. The controller then utilizes the information collected through these sensors to make optimal decisions and minimize the goal function. • In the fourth method, fuzzy logic is used, and the system takes in the number of vehicles and the average speed of traffic flow in each direction as the input parameters. The number of vehicles and the average speed of traffic flow can be determined using sensors placed on the road.

PROPOSED SYSTEM :

Now-a-days due to increasing number of vehicles it's becoming difficult to manage traffic efficiently which leads to longer duration journey and maximum petrol consumption and to avoid this problem standard techniques was introduce such as manual traffic control which require more number of traffic person, static time traffic control which is not effective as it will


use same timer for all lanes with heavy and light traffic and sensor based traffic management but this require heavy budget of sensor deployment to sense and manage traffic based on density.

To overcome from above issues author of this paper is utilizing traffic cameras and YOLO object detection algorithms to estimate traffic density at all lanes and then adjust red and green signal time. Cameras will take snapshot of all lanes every five seconds and then estimate traffic at lanes and based on density green and red signal time will be adjusted.

Proposed Methodology:

The number of vehicles of each class, such as car, bike, bus, and truck, is detected, which is to calculate the density of traffic. The signal switching algorithm uses this density, among some other factors, to set the green signal timer for each lane. The red signal times are updated accordingly. The green signal time is restricted to a maximum and minimum value in order to avoid starvation of a particular lane. A simulation is also developed to demonstrate the system's effectiveness and compare it with the existing static system.

SYSTEM ARCHITECTURE :



CONCLUSION

In conclusion, the proposed system sets the green signal time adaptively according to the traffic density at the signal and ensures that the direction with more traffic is allotted a green signal for

a longer duration of time as compared to the direction with lesser traffic. This will lower the unwanted delays and reduce congestion and waiting time, which in turn will reduce fuel consumption and pollution. According to simulation results, the system shows about 23% improvement over the current system in terms of the number of vehicles crossing the intersection, which is a significant improvement. With further calibration using real- life CCTV data for training the model, this system can be improved to perform even better.

REFERENCES :

- [1] TomTom.com, 'Tom Tom World Traffic Index', 2019. [Online]. Available: https://www.tomtom.com/en_gb/traffic-index/ranking/
- [2] Khushi, "Smart Control of Traffic Light System using Image Processing," 2017 International Conference on Current Trends in Computer, Electrical, Electronics and Communication (CTCEEC), Mysore, 2017, pp. 99-103, doi: 10.1109/CTCEEC.2017.8454966.
- [3] A. Vogel, I. Oremović, R. Šimić and E. Ivanjko, "Improving Traffic Light Control by Means of Fuzzy Logic," 2018 International Symposium ELMAR, Zadar, 2018, pp. 51-56, doi: 10.23919/ELMAR.2018.8534692.
- [4] A. A. Zaid, Y. Suhweil and M. A. Yaman, "Smart controlling for traffic light time," 2017 IEEE Jordan Conference on Applied Electrical Engineering and Computing Technologies (AEECT), Aqaba, 2017, pp. 1-5, doi: 10.1109/AEECT.2017.8257768.
- [5] RenjithSoman "Traffic Light Control and Violation Detection Using Image Processing”.” IOSR Journal of Engineering (IOSRJEN), vol. 08, no. 4, 2018, pp. 23-27
- [6] A. Kanungo, A. Sharma and C. Singla, "Smart traffic lights switching and traffic density calculation using video processing," 2014 Recent Advances in Engineering and Computational Sciences (RAECS), Chandigarh, 2014, pp. 1-6, doi: 10.1109/RAECS.2014.6799542.
- [7] SiddharthSrivastava, SubhadeepChakraborty, Raj Kamal, Rahil, Minocha, “Adaptive traffic light timer controller” , IIT KANPUR, NERD MAGAZINE

[8] Ms. SailiShinde, Prof. Sheetal Jagtap, Vishwakarma Institute Of Technology, Intelligent traffic management system:a Review, IJIRST 2016.