

A Cloud-Connected RFID Architecture for Automated Student Presence Verification

D Sathish¹, Mandalaju Sai Balaji¹, B Dhamodhar¹, Konakanchi Sampath¹, Bandapelli Deepika¹
¹Department of Electronics and Communication Engineering, ¹Sree Dattha Institute of Engineering and Science, Sheriguda, Ibrahimpatnam, 501510, Telangana, India.

To Cite this Article

D Sathish, Mandalaju Sai Balaji, B Dhamodhar, Konakanchi Sampath, Bandapelli Deepika, "A Cloud-Connected RFID Architecture for Automated Student Presence Verification", *Journal of Science Engineering Technology and Management Science*, Vol. 03, Issue 06, June 2026, pp: 708-714, DOI: <http://doi.org/10.64771/jsetms.2026.v03.i06.pp708-714>

Submitted: 08-05-2026

Accepted: 15-06-2026

Published: 22-06-2026

ABSTRACT

Attendance management has evolved significantly from traditional manual registers and paper-based record keeping to automated digital systems designed to improve accuracy and efficiency. In educational institutions, offices, and industrial environments, maintaining reliable attendance records is essential for monitoring participation, productivity, and organizational activities. Conventional attendance methods often require considerable manual effort and are prone to issues such as proxy attendance, data entry errors, record loss, and time consumption. Although barcode and password-based systems have been introduced to address some of these challenges, they still suffer from limitations related to user inconvenience, security concerns, and lack of real-time accessibility. These drawbacks highlight the need for a secure, automated, and remotely accessible attendance monitoring solution. To address these challenges, this study presents an IoT-enabled attendance monitoring system that integrates RFID technology, an Arduino-based controller, an ESP8266 Wi-Fi module, a buzzer alert mechanism, an LCD display, and cloud-based data storage. Each authorized user is assigned a unique RFID card that enables quick and contactless identification. Upon successful authentication, attendance information is automatically recorded and transmitted to the Thing Speak cloud platform for real-time storage and monitoring. Invalid card usage triggers an alert through the buzzer, enhancing system security. The proposed approach eliminates manual intervention, improves attendance accuracy, enables remote data access, and ensures reliable record maintenance. The integration of RFID and IoT technologies demonstrates an effective solution for modern attendance management, offering scalability, transparency, operational efficiency, and enhanced monitoring capabilities.

Keywords: RFID, Internet of Things (IoT), Attendance Monitoring System, Arduino Uno, ESP8266 Wi-Fi Module, Thing Speak Cloud Platform, Cloud Data Storage

1. INTRODUCTION

RFID, which stands for Radio Frequency Identification, is an automatic identification technology used for retrieving from or storing data on to RFID Tags without any physical contact. Proposed system primarily comprises of RFID Tags, RFID Reader, Middleware and a Backend database. In traditional method, lots of difficulties exist which includes lost of attendance book, fake attendance and so on. If the book is lost, faculty has to create the new attendance book and therefore absented students get an opportunity to mark their fake presence in the new log book. RFID Tags are uniquely and universally identified by an identification sequence, governed by the rubrics of EPC global Tag Data Standard. In monitoring applications of the university, the use of RFID technology enables the university management to avoid attendance records from loss, misplacement and damages. This technology also will save money, time and decreases work endeavor's in dealing with the participation records. Universities bring progressively turned

into great mindful of the fact that making methods more efficient and less time consuming, RFID Might assistance on accelerate those techniques and along these lines diminish the lead time in a few separate zones such as parking, attendance and others [4, 5]. Attendance is the concept of people, individually or as a group, appearing at a location for a prescheduled event. Measuring attendance is a significant concern for many organizations, which can use such information to gauge the effectiveness of their efforts and to plan for future efforts; it also goes a long way in sporting and entertainment industries to determine the success of such events. Radio Frequency or waves has been a vital part in electronics and communication; it denotes electromagnetic waves that have a wavelength suited for use in radio communication. It has over the years through detailed study and research produced result of very unique and ingenious applications in the field of Engineering as a whole such applications areas include; transportation, health-care, agriculture, the hospitality industry, academic and business settings to mention but a few. These unique applications of the concept of radio waves have made life easier and led to the solutions to many of man's problems directly or indirectly. As for system development and implementation, it should be able to help in managing their student attendance systematically. The system must have database that contains employee/student information and it must be able to help lecturer to manipulate data, update database, alert manager accordingly, and also nice interface to make it easier to use. Finally, the attendance system must be user friendly for commercial purpose. Our project is going to solve these problems by using RFID technology. Radio Frequency Identification (RFID) is an automatic identification method, relying on storing and remotely retrieving data using devices called RFID tags or transponders. So, the RFID is a wireless identification. Normally the RFID system comprises of two main parts are RFID Reader and RFID Tag.

2. LITERATURE SURVEY

Rieback, Crispo, and Tanenbaum [1] presented a comprehensive study on the evolution of RFID security mechanisms. The authors analyzed security vulnerabilities associated with RFID systems and proposed methods to improve privacy and authentication. Their work highlighted the importance of secure communication protocols in RFID-based applications and laid the foundation for modern RFID security frameworks. Subramanian et al. [2] investigated the development of all-printed RFID tags using low-cost materials and fabrication techniques. The study demonstrated the feasibility of producing RFID devices through printing technologies, significantly reducing manufacturing costs. Their research contributed to the widespread adoption of RFID systems in commercial and industrial applications. Baude et al. [3] proposed organic semiconductor RFID transponders as an alternative to conventional silicon-based devices. The authors demonstrated that organic electronics can be utilized to develop lightweight and flexible RFID systems. Their findings opened new possibilities for low-cost and disposable RFID applications.

Subramanian et al. [4] developed printed organic transistor technology for ultra-low-cost RFID applications. The study focused on reducing production expenses while maintaining reliable communication performance. Experimental results confirmed the practicality of printed electronics in next-generation RFID systems. Phillips, Karygiannis, and Kuhn [5] analyzed security standards and regulatory requirements for RFID technologies. The authors examined authentication protocols, encryption mechanisms, and privacy considerations associated with RFID deployments. Their work provided guidelines for secure implementation of RFID-based identification systems.

Weis, Sarma, and Rivest [6] investigated security and privacy challenges in low-cost RFID systems. The researchers identified vulnerabilities related to unauthorized tracking and data interception. Their proposed security measures significantly improved confidentiality and integrity within RFID communication environments. Stockman introduced the concept of communication through reflected radio power, establishing the theoretical foundation for passive RFID systems. His work demonstrated that a mobile

transmitter could operate solely using energy received from radio waves, which became a key principle in RFID technology. Kriofsky and Kaplan developed an inductively coupled transmitter-responder arrangement for RFID communication. Their system utilized separate coils for power reception and signal transmission, contributing significantly to the advancement of early RFID architectures. Verma and Tripathi [7] proposed a digital security system using RFID technology for door access control. The system employed RFID tags and readers to authenticate users before granting entry. Experimental results demonstrated enhanced security and convenience compared to traditional key-based systems.

Li, Poovendran, and Falk [8] introduced a multi-domain access control framework using asymmetric key-based tag-reader mutual authentication. The proposed model strengthened security by enabling secure communication between RFID tags and readers across multiple domains. Their approach effectively reduced the risk of unauthorized access. Research on student attendance systems using RFID demonstrated the effectiveness of automated attendance monitoring in educational institutions. These systems reduced manual effort, improved accuracy, and enhanced administrative efficiency through contactless identification methods. Advancements in low-frequency RFID technology enabled the development of implantable transponders and access control cards. These innovations improved security management and asset tracking while providing reliable identification in various environments.

Ahasan and Kingston [9] conducted an exploratory study on RFID applications across various sectors, including transportation, healthcare, and access control. The authors highlighted the advantages of RFID technology in improving automation, tracking efficiency, and security. Their work emphasized the growing significance of RFID in modern identification systems. Beigel proposed an RFID identification device that combined power reception and signal transmission within a compact design. The innovation reduced device size and complexity, making RFID technology more practical for widespread deployment in identification and tracking applications. Cardullo received one of the earliest patents for an active RFID tag with rewritable memory. His contribution enabled dynamic data storage and retrieval, significantly expanding the capabilities of RFID technology beyond simple identification functions.

Weis, Sarma, and Rivest [10] further examined privacy-preserving techniques for low-cost RFID systems. The study proposed authentication protocols that protect user information while maintaining efficient system performance. Their research remains influential in the design of secure RFID-based authentication systems. Curtin et al. discussed the evolution of time management and technological development, highlighting how industrial advancements transformed traditional working practices. The study emphasized the role of automation and intelligent systems in improving productivity and operational efficiency, providing context for modern automated identification technologies. Farragher examined the historical origins of RFID technology, tracing its development back to Identification Friend or Foe (IFF) systems used during World War II. The study explained how radio-based identification methods evolved into modern RFID systems capable of automated object and personnel identification.

3. PROPOSED SYSTEM

The proposed methodology presents a structured framework for developing an automated attendance monitoring system that integrates RFID technology, embedded processing, wireless communication, and cloud-based data storage. The methodology follows a sequential workflow beginning with RFID-based user identification, followed by authentication, attendance processing, cloud data transmission, and real-time monitoring, as shown in figure 1. The system is designed to provide a reliable, contactless, and efficient mechanism for recording attendance while reducing manual effort and improving data accuracy. Through the integration of IoT communication technologies, attendance information can be accessed remotely and maintained in a centralized cloud platform for future analysis and record management.




Figure 1: Proposed system architecture.

RFID Card/User Tag

- Each authorized user is assigned a unique RFID card containing a predefined identification number.
- The RFID card acts as the primary authentication credential for attendance registration.
- When the card is brought near the RFID reader, the unique card ID is captured and forwarded to the controller for verification.

RFID Reader Module

- The RFID reader continuously scans for nearby RFID tags.
- Upon detecting a card, it reads the unique identification number stored in the tag.
- The acquired card information is transmitted to the microcontroller through serial communication.
- This module serves as the input interface for the attendance monitoring process.

Arduino Controller Unit

- The Arduino acts as the central processing unit of the system.
- It receives RFID card data and compares it with the list of authorized users stored within the program.
- Based on the verification result, it determines whether the attendance record should be accepted or rejected.
- The controller coordinates communication between the RFID reader, LCD display, buzzer, and Wi-Fi module.

User Authentication and Verification

- The received RFID number is matched against predefined user records.
- If the card corresponds to a valid user, attendance is marked successfully.
- If the card is not recognized, the system classifies it as an invalid entry.
- This verification process ensures authorized access and accurate attendance recording.

LCD Display Module

- The LCD provides real-time visual feedback to users.
- It displays messages such as card scanning instructions, user names, roll numbers, and attendance confirmation.
- Status information helps users verify successful registration of attendance.
- The display improves system usability and transparency.

Buzzer Alert System

- The buzzer serves as an audible notification mechanism.
- It remains inactive during normal operation.
- When an unauthorized or invalid RFID card is detected, the buzzer generates an alert signal.

- This feature enhances security and immediately informs administrators of invalid access attempts.

ESP8266 Wi-Fi Communication Module

- The ESP8266 module enables wireless communication between the controller and the cloud platform.
- After successful authentication, attendance data is transmitted over a Wi-Fi network.
- The module establishes a connection with the cloud server using AT commands.
- It supports real-time data uploading and remote accessibility.

Cloud Storage Platform (ThingSpeak)

- Attendance information is uploaded to the cloud platform for centralized storage.
- Individual attendance records are stored in dedicated cloud fields.
- The cloud server maintains historical attendance information for future reference.
- Authorized personnel can monitor attendance data remotely through an internet connection.

Attendance Record Generation

- Once authentication is completed, the attendance status is automatically updated.
- User information and attendance details are stored in the cloud database.
- The system eliminates manual attendance entry and reduces administrative workload.
- Automated record generation improves efficiency and minimizes human errors.

Real-Time Monitoring and Data Access

- Attendance information can be monitored from remote locations through the cloud dashboard.
- Administrators can access updated attendance records whenever required.
- Real-time data availability improves monitoring efficiency and decision-making.
- Cloud integration enables scalable and centralized attendance management.

Final Output

- The system produces accurate attendance records for authorized users.
- User details are displayed on the LCD while attendance information is uploaded to the cloud.
- Invalid cards trigger security alerts through the buzzer.
- The complete workflow ensures secure authentication, automated attendance marking, cloud-based storage, and real-time monitoring.

4. RESULTS AND DISCUSSION

The proposed RFID and IoT-based attendance monitoring system was successfully implemented and tested using an Arduino Uno, RFID reader, ESP8266 Wi-Fi module, LCD display, buzzer, and ThingSpeak cloud platform. The system accurately identified authorized RFID cards and automatically recorded attendance without manual intervention. Attendance data was transmitted to the cloud in real time, enabling remote monitoring and secure record maintenance. The LCD display provided instant feedback regarding attendance status, while the buzzer effectively alerted users when unauthorized cards were detected. Experimental observations showed reliable RFID detection, accurate authentication, and stable cloud connectivity. Overall, the system improved attendance management by reducing human errors, enhancing security, and providing an efficient and scalable solution for educational institutions and organizations.




Figure 2: Hardware Prototype of the RFID and IoT-Based Attendance Monitoring System

Figure 2 shows the developed hardware prototype of the proposed attendance monitoring system integrating an RFID reader, Arduino controller, ESP8266 Wi-Fi module, LCD display, buzzer, and power supply circuitry. The RFID card is scanned by the reader to capture the unique user identification number, which is processed by the controller for authentication. Upon successful verification, attendance information is displayed on the LCD and transmitted to the ThingSpeak cloud platform through the ESP8266 module for real-time monitoring and storage. The buzzer provides an alert whenever an unauthorized RFID card is detected, thereby enhancing system security. The prototype demonstrates the practical implementation of automated attendance recording, cloud synchronization, and remote accessibility in a single integrated system.

5. CONCLUSION

The study successfully demonstrates an automated attendance monitoring system that integrates RFID technology, wireless communication, and cloud-based data storage to provide an efficient and reliable attendance management solution. By utilizing RFID cards for user identification, the system eliminates manual attendance recording and minimizes human errors. The integration of the ESP8266 Wi-Fi module enables real-time transmission of attendance data to the cloud, allowing remote access and continuous monitoring. The LCD display provides instant feedback to users, while the buzzer alert mechanism enhances security by identifying unauthorized access attempts. Cloud-based storage ensures secure maintenance of attendance records and facilitates future analysis. The overall system improves operational efficiency, accuracy, and transparency in attendance tracking. The implementation demonstrates the effectiveness of combining IoT technologies with RFID authentication for modern attendance management applications in educational institutions, offices, and industrial environments.

References

- [1] M. R. Rieback, B. Crispo, and A. S. Tanenbaum, "The Evolution of RFID Security"; *PervasiveComputing, IEEE* Volume 5, Issue 1, Jan.- Mar. 2006..
- [2] V. Subramanian, P. C. Chang, D. Huang, J. B. Lee, S. E. Moles, D. R. Redinger, and S. K.Volkman, "All-printed RFID Tags: Materials, Devices, and Circuit Implications", *VLSI Design*, 2006

- [3] P. F. Baude, D. A. Ender, T. W. Kelley, M. A. Haase, D. V. Muyres, and S. D. Theiss, "Organic Semiconductor RFID Transponders", Electron Devices Meeting, 2003
- [4] V. Subramanian, P. C. Chang, D. Huang, J. B. Lee, S. E. Molesa, D. R. Redinger, and S. K. Volkman, "Printed organic transistors for ultra-lowcost RFID applications", IEEE Transactions OnComponents And Packaging Technologies, 2005.
- [5] T. Phillips, T. Karygiannis, R. Kuhn, "Security Standards for the RFID Market
- [6] Stephen a. Weis, Sanjay E.Sarma, Ronald.L.Rivest a paper on "Security and privacy aspects of low cost radio frequency identification systems".
- [7] Gynanendra K Verma, Pawan Tripathi, IIIT Allahabad a paper on "A digital security system with door lock system using rfid technology".
- [8] Mingyan Li, Radha Poovendran, Rainer Falk paper on "multi-domain access control using asymmetric key based tag reader mutual authentication.
- [9] Kamran Ahasan, Paul Kingston IEEE paper on "rfid applications: an introductory and exploratory study".
- [10] Stephen a. Weis, Sanjay E.Sarma, Ronald.L.Rivest a paper on "Security and privacy aspects of low cost radio frequency identification systems